

SEQUENCE LISTING

(1) GENERAL INFORMATION:

(i) APPLICANT:

- (A) NAME: CIBA-GEIGY AG
- (B) STREET: Klybeckstr. 141
- (C) CITY: Basel
- (E) COUNTRY: Switzerland
- (F) POSTAL CODE (ZIP): 4002
- (G) TELEPHONE: +41 61 69 11 11
- (H) TELEFAX: + 41 61 696 79 76
- (I) TELEX: 962 991

(ii) TITLE OF INVENTION: New process for the production of
biologically active protein

(iii) NUMBER OF SEQUENCES: 12

(iv) COMPUTER READABLE FORM:

- (A) MEDIUM TYPE: Floppy disk
- (B) COMPUTER: IBM PC compatible
- (C) OPERATING SYSTEM: PC-DOS/MS-DOS
- (D) SOFTWARE: PatentIn Release #1.0, Version #1.30 (EPO)

(2) INFORMATION FOR SEQ ID NO: 1:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 339 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: double
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA to mRNA

(iii) HYPOTHETICAL: NO

(vii) IMMEDIATE SOURCE:

(B) CLONE: E. coli LC137/pPLMu.hTGF-beta1 (DSM 5656)

(ix) FEATURE:

(A) NAME/KEY: CDS

(B) LOCATION:1..336

(D) OTHER INFORMATION:/product= "human TGF-beta1"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 1:

GCC CTG GAC ACC AAC TAT TGC TTC AGC TCC ACG GAG AAG AAC TGC TGC	48
Ala Leu Asp Thr Asn Tyr Cys Phe Ser Ser Thr Glu Lys Asn Cys Cys	
1 5 10 15	
GTG CGG CAG CTG TAC ATT GAC TTC CGC AAG GAC CTC GGC TGG AAG TGG	96
Val Arg Gln Leu Tyr Ile Asp Phe Arg Lys Asp Leu Gly Trp Lys Trp	
20 25 30	
ATC CAC GAG CCC AAG GGC TAC CAT GCC AAC TTC TGC CTC GGG CCC TGC	144
Ile His Glu Pro Lys Gly Tyr His Ala Asn Phe Cys Leu Gly Pro Cys	
35 40 45	
CCC TAC ATT TGG AGC CTG GAC ACG CAG TAC AGC AAG GTC CTG GCC CTG	192
Pro Tyr Ile Trp Ser Leu Asp Thr Gln Tyr Ser Lys Val Leu Ala Leu	
50 55 60	
TAC AAC CAG CAT AAC CCG GGC GCC TCG GCG GCG CCG TGC TGC GTG CCG	240
Tyr Asn Gln His Asn Pro Gly Ala Ser Ala Ala Pro Cys Cys Val Pro	
65 70 75 80	
CAG GCG CTG GAG CCG CTG CCC ATC GTG TAC TAC GTG GGC CGC AAG CCC	288

Gln Ala Leu Glu Pro Leu Pro Ile Val Tyr Tyr Val Gly Arg Lys Pro
85 90 95

AAG GTG GAG CAG CTG TCC AAC ATG ATC GTG CGC TCC TGC AAG TGC AGC 336
Lys Val Glu Gln Leu Ser Asn Met Ile Val Arg Ser Cys Lys Cys Ser
100 105 110

TGA 339

(2) INFORMATION FOR SEQ ID NO: 2:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 112 amino acids
- (B) TYPE: amino acid
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 2:

Ala Leu Asp Thr Asn Tyr Cys Phe Ser Ser Thr Glu Lys Asn Cys Cys
1 5 10 15

Val Arg Gln Leu Tyr Ile Asp Phe Arg Lys Asp Leu Gly Trp Lys Trp
20 25 30

Ile His Glu Pro Lys Gly Tyr His Ala Asn Phe Cys Leu Gly Pro Cys
35 40 45

Pro Tyr Ile Trp Ser Leu Asp Thr Gln Tyr Ser Lys Val Leu Ala Leu
50 55 60

Tyr Asn Gln His Asn Pro Gly Ala Ser Ala Ala Pro Cys Cys Val Pro
65 70 75 80

Gln Ala Leu Glu Pro Leu Pro Ile Val Tyr Tyr Val Gly Arg Lys Pro
85 90 95

Lys Val Glu Gln Leu Ser Asn Met Ile Val Arg Ser Cys Lys Cys Ser

100

105

110

(2) INFORMATION FOR SEQ ID NO: 3:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 339 base pairs

(B) TYPE: nucleic acid

(C) STRANDEDNESS: double

(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA to mRNA

(vii) IMMEDIATE SOURCE:

(B) CLONE: E. coli LC137/pPLMu.hTGF-beta2 (DSM5657)

(ix) FEATURE:

(A) NAME/KEY: CDS

(B) LOCATION:1..336

(D) OTHER INFORMATION:/product= "human TGF-beta2"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 3:

GCT TTG GAT GCG GCC TAT TGC TTT AGA AAT GTG CAG GAT AAT TGC TGC 48

Ala Leu Asp Ala Ala Tyr Cys Phe Arg Asn Val Gln Asp Asn Cys Cys

115

120

125

CTA CGT CCA CTT TAC ATT GAT TTC AAG AGG GAT CTA GGG TGG AAA TGG 96

Leu Arg Pro Leu Tyr Ile Asp Phe Lys Arg Asp Leu Gly Trp Lys Trp

130

135

140

ATA CAC GAA CCC AAA GGG TAC AAT GCC AAC TTC TGT GCT GGA GCA TGC 144

Ile His Glu Pro Lys Gly Tyr Asn Ala Asn Phe Cys Ala Gly Ala Cys

	1980	1979	1978	1977	1976	1975	1974	1973	1972	1971	1970	1969	1968	1967	1966	1965	1964	1963	1962	1961	1960	1959	1958	1957	1956	1955	1954	1953	1952	1951	1950	1949	1948	1947	1946	1945	1944	1943	1942	1941	1940	1939	1938	1937	1936	1935	1934	1933	1932	1931	1930	1929	1928	1927	1926	1925	1924	1923	1922	1921	1920	1919	1918	1917	1916	1915	1914	1913	1912	1911	1910	1909	1908	1907	1906	1905	1904	1903	1902	1901	1900	1899	1898	1897	1896	1895	1894	1893	1892	1891	1890	1889	1888	1887	1886	1885	1884	1883	1882	1881	1880	1879	1878	1877	1876	1875	1874	1873	1872	1871	1870	1869	1868	1867	1866	1865	1864	1863	1862	1861	1860	1859	1858	1857	1856	1855	1854	1853	1852	1851	1850	1849	1848	1847	1846	1845	1844	1843	1842	1841	1840	1839	1838	1837	1836	1835	1834	1833	1832	1831	1830	1829	1828	1827	1826	1825	1824	1823	1822	1821	1820	1819	1818	1817	1816	1815	1814	1813	1812	1811	1810	1809	1808	1807	1806	1805	1804	1803	1802	1801	1800	1799	1798	1797	1796	1795	1794	1793	1792	1791	1790	1789	1788	1787	1786	1785	1784	1783	1782	1781	1780	1779	1778	1777	1776	1775	1774	1773	1772	1771	1770	1769	1768	1767	1766	1765	1764	1763	1762	1761	1760	1759	1758	1757	1756	1755	1754	1753	1752	1751	1750	1749	1748	1747	1746	1745	1744	1743	1742	1741	1740	1739	1738	1737	1736	1735	1734	1733	1732	1731	1730	1729	1728	1727	1726	1725	1724	1723	1722	1721	1720	1719	1718	1717	1716	1715	1714	1713	1712	1711	1710	1709	1708	1707	1706	1705	1704	1703	1702	1701	1700	1699	1698	1697	1696	1695	1694	1693	1692	1691	1690	1689	1688	1687	1686	1685	1684	1683	1682	1681	1680	1679	1678	1677	1676	1675	1674	1673	1672	1671	1670	1669	1668	1667	1666	1665	1664	1663	1662	1661	1660	1659	1658	1657	1656	1655	1654	1653	1652	1651	1650	1649	1648	1647	1646	1645	1644	1643	1642	1641	1640	1639	1638	1637	1636	1635	1634	1633	1632	1631	1630	1629	1628	1627	1626	1625	1624	1623	1622	1621	1620	1619	1618	1617	1616	1615	1614	1613	1612	1611	1610	1609	1608	1607	1606	1605	1604	1603	1602	1601	1600	1599	1598	1597	1596	1595	1594	1593	1592	1591	1590	1589	1588	1587	1586	1585	1584	1583	1582	1581	1580	1579	1578	1577	1576	1575	1574	1573	1572	1571	1570	1569	1568	1567	1566	1565	1564	1563	1562	1561	1560	1559	1558	1557	1556	1555	1554	1553	1552	1551	1550	1549	1548	1547	1546	1545	1544	1543	1542	1541	1540	1539	1538	1537	1536	1535	1534	1533	1532	1531	1530	1529	1528	1
--	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	---

(

(

- (

(

(

(

Ile His Glu Pro Lys Gly Tyr Asn Ala Asn Phe Cys Ala Gly Ala Cys
35 40 45

Pro Tyr Leu Trp Ser Ser Asp Thr Gln His Ser Arg Val Leu Ser Leu
50 55 60

Tyr Asn Thr Ile Asn Pro Glu Ala Ser Ala Ser Pro Cys Cys Val Ser
65 70 75 80

Gln Asp Leu Glu Pro Leu Thr Ile Leu Tyr Tyr Ile Gly Lys Thr Pro
85 90 95

Lys Ile Glu Gln Leu Ser Asn Met Ile Val Lys Ser Cys Lys Cys Ser
100 105 110

(2) INFORMATION FOR SEQ ID NO: 5:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 339 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: double
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA to mRNA

(vii) IMMEDIATE SOURCE:

(B) CLONE: E. coli LC137/pPLMu.hTGF-beta3 (DSM 5658)

(ix) FEATURE:

- (A) NAME/KEY: CDS
- (B) LOCATION: 1..336
- (D) OTHER INFORMATION: /product= "human TGF-beta3"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 5:

GCT TTG GAC ACC AAT TAC TGC TTC CGC AAC TTG GAG GAG AAC TGC TGT	48
Ala Leu Asp Thr Asn Tyr Cys Phe Arg Asn Leu Glu Glu Asn Cys Cys	
115 120 125	
GTG CGC CCC CTC TAC ATT GAC TTC CGA CAG GAT CTG GGC TGG AAG TGG	96
Val Arg Pro Leu Tyr Ile Asp Phe Arg Gln Asp Leu Gly Trp Lys Trp	
130 135 140	
GTC CAT GAA CCT AAG GGC TAC TAT GCC AAC TTC TGC TCA GGC CCT TGC	144
Val His Glu Pro Lys Gly Tyr Tyr Ala Asn Phe Cys Ser Gly Pro Cys	
145 150 155 160	
CCA TAC CTC CGC AGT GCA GAC ACA ACC CAC AGC ACG GTG CTG GGA CTG	192
Pro Tyr Leu Arg Ser Ala Asp Thr Thr His Ser Thr Val Leu Gly Leu	
165 170 175	
TAC AAC ACT CTG AAC CCT GAA GCA TCT GCC TCG CCT TGC TGC GTG CCC	240
Tyr Asn Thr Leu Asn Pro Glu Ala Ser Ala Ser Pro Cys Cys Val Pro	
180 185 190	
CAG GAC CTG GAG CCC CTG ACC ATC CTG TAC TAT GTT GGG AGG ACC CCC	288
Gln Asp Leu Glu Pro Leu Thr Ile Leu Tyr Tyr Val Gly Arg Thr Pro	
195 200 205	
AAA GTG GAG CAG CTC TCC AAC ATG GTG GTG AAG TCT TGT AAA TGT AGC	336
Lys Val Glu Gln Leu Ser Asn Met Val Val Lys Ser Cys Lys Cys Ser	
210 215 220	
TGA	339

(2) INFORMATION FOR SEQ ID NO: 6:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 112 amino acids

(B) TYPE: amino acid

(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 6:

Ala Leu Asp Thr Asn Tyr Cys Phe Arg Asn Leu Glu Glu Asn Cys Cys
1 5 10 15

Val Arg Pro Leu Tyr Ile Asp Phe Arg Gln Asp Leu Gly Trp Lys Trp
20 25 30

Val His Glu Pro Lys Gly Tyr Tyr Ala Asn Phe Cys Ser Gly Pro Cys
35 40 45

Pro Tyr Leu Arg Ser Ala Asp Thr Thr His Ser Thr Val Leu Gly Leu
50 55 60

Tyr Asn Thr Leu Asn Pro Glu Ala Ser Ala Ser Pro Cys Cys Val Pro
65 70 75 80

Gln Asp Leu Glu Pro Leu Thr Ile Leu Tyr Tyr Val Gly Arg Thr Pro
85 90 95

Lys Val Glu Gln Leu Ser Asn Met Val Val Lys Ser Cys Lys Cys Ser
100 105 110

(2) INFORMATION FOR SEQ ID NO: 7:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 336 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: double
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: other nucleic acid

(A) DESCRIPTION: /desc = "recombinant hybrid DNA of

TGF-beta1 and TGF-beta3 DNA"

(vii) IMMEDIATE SOURCE:

(B) CLONE: E. coli LC137/pPLMu.TGF-beta1(44/45)beta3

(ix) FEATURE:

(A) NAME/KEY: mat_peptide

(B) LOCATION:1..132

(D) OTHER INFORMATION:/product= "N-terminal 44 amino acids of human TGF-beta1"

(ix) FEATURE:

(A) NAME/KEY: mat_peptide

(B) LOCATION:133..336

(D) OTHER INFORMATION:/product= "C-terminal 68 amino acids of human TGF-beta3"

(ix) FEATURE:

(A) NAME/KEY: CDS

(B) LOCATION:1..336

(D) OTHER INFORMATION:/product= "hybrid TGF-beta named TGF-beta1-3"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 7:

GCC CTG GAC ACC AAC TAT TGC TTC AGC TCC ACG GAG AAG AAC TGC TGC	48
Ala Leu Asp Thr Asn Tyr Cys Phe Ser Ser Thr Glu Lys Asn Cys Cys	
1 5 10 15	
GTG CGG CAG CTG TAC ATT GAC TTC CGC AAG GAC CTC GGC TGG AAG TGG	96
Val Arg Gln Leu Tyr Ile Asp Phe Arg Lys Asp Leu Gly Trp Lys Trp	
20 25 30	
ATC CAC GAG CCC AAG GGC TAC CAT GCC AAC TTC TGC TCA GGC CCT TGC	144
Ile His Glu Pro Lys Gly Tyr His Ala Asn Phe Cys Ser Gly Pro Cys	

35	40	45	
CCA TAC CTC CGC AGT GCA GAC ACA ACC CAC AGC ACG GTG CTG GGA CTG			192
Pro Tyr Leu Arg Ser Ala Asp Thr Thr His Ser Thr Val Leu Gly Leu			
50	55	60	
TAC AAC ACT CTG AAC CCT GAA GCA TCT GCC TCG CCT TGC TGC GTG CCC			240
Tyr Asn Thr Leu Asn Pro Glu Ala Ser Ala Ser Pro Cys Cys Val Pro			
65	70	75	80
CAG GAC CTG GAG CCC CTG ACC ATC CTG TAC TAT GTT GGG AGG ACC CCC			288
Gln Asp Leu Glu Pro Leu Thr Ile Leu Tyr Tyr Val Gly Arg Thr Pro			
85	90	95	
AAA GTG GAG CAG CTC TCC AAC ATG GTG GTG AAG TCT TGT AAA TGT AGC			336
Lys Val Glu Gln Leu Ser Asn Met Val Val Lys Ser Cys Lys Cys Ser			
100	105	110	

(2) INFORMATION FOR SEQ ID NO: 8:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 112 amino acids
- (B) TYPE: amino acid
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 8:

Ala Leu Asp Thr Asn Tyr Cys Phe Ser Ser Thr Glu Lys Asn Cys Cys			
1	5	10	15
Val Arg Gln Leu Tyr Ile Asp Phe Arg Lys Asp Leu Gly Trp Lys Trp			
20	25	30	
Ile His Glu Pro Lys Gly Tyr His Ala Asn Phe Cys Ser Gly Pro Cys			
35	40	45	

Pro Tyr Leu Arg Ser Ala Asp Thr Thr His Ser Thr Val Leu Gly Leu

50

55

60

Tyr Asn Thr Leu Asn Pro Glu Ala Ser Ala Ser Pro Cys Cys Val Pro

65

70

75

80

Gln Asp Leu Glu Pro Leu Thr Ile Leu Tyr Tyr Val Gly Arg Thr Pro

85

90

95

Lys Val Glu Gln Leu Ser Asn Met Val Val Lys Ser Cys Lys Cys Ser

100

105

110

(2) INFORMATION FOR SEQ ID NO: 9:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 336 base pairs

(B) TYPE: nucleic acid

(C) STRANDEDNESS: double

(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: other nucleic acid

(A) DESCRIPTION: /desc = "recombinant hybrid DNA
coding for hybrid TGF-beta2-3"

(vii) IMMEDIATE SOURCE:

(B) CLONE: E. coli LC137/pPLMu.TGF-beta2(44/45)beta3

(ix) FEATURE:

(A) NAME/KEY: mat_peptide

(B) LOCATION:1..132

(D) OTHER INFORMATION:/product= "N-terminal 44 amino
acids of human TGF-beta2"

(ix) FEATURE:

(A) NAME/KEY: mat_peptide
 (B) LOCATION:133..336
 (D) OTHER INFORMATION:/product= "C-terminal 68 amino acids of human TGF-beta3"

(ix) FEATURE:

(A) NAME/KEY: CDS
 (B) LOCATION:1..336
 (D) OTHER INFORMATION:/product= "hybrid TGF-beta2-3"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 9:

GCT TTG GAT GCG GCC TAT TGC TTT AGA AAT GTG CAG GAT AAT TGC TGC	48
Ala Leu Asp Ala Ala Tyr Cys Phe Arg Asn Val Gln Asp Asn Cys Cys	
1 5 10 15	
CTA CGT CCA CTT TAC ATT GAT TTC AAG AGG GAT CTA GGG TGG AAA TGG	96
Leu Arg Pro Leu Tyr Ile Asp Phe Lys Arg Asp Leu Gly Trp Lys Trp	
20 25 30	
ATA CAC GAA CCC AAA GGG TAC AAT GCC AAC TTC TGC TCA GGC CCT TGC	144
Ile His Glu Pro Lys Gly Tyr Asn Ala Asn Phe Cys Ser Gly Pro Cys	
35 40 45	
CCA TAC CTC CGC AGT GCA GAC ACA ACC CAC AGC ACG GTG CTG GGA CTG	192
Pro Tyr Leu Arg Ser Ala Asp Thr Thr His Ser Thr Val Leu Gly Leu	
50 55 60	
TAC AAC ACT CTG AAC CCT GAA GCA TCT GCC TCG CCT TGC TGC GTG CCC	240
Tyr Asn Thr Leu Asn Pro Glu Ala Ser Ala Ser Pro Cys Cys Val Pro	
65 70 75 80	
CAG GAC CTG GAG CCC CTG ACC ATC CTG TAC TAT GTT GGG AGG ACC CCC	288
Gln Asp Leu Glu Pro Leu Thr Ile Leu Tyr Tyr Val Gly Arg Thr Pro	
85 90 95	

AAA GTG GAG CAG CTC TCC AAC ATG GTG GTG AAG TCT TGT AAA TGT AGC 336
Lys Val Glu Gln Leu Ser Asn Met Val Val Lys Ser Cys Lys Cys Ser
100 105 110

(2) INFORMATION FOR SEQ ID NO: 10:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 112 amino acids
- (B) TYPE: amino acid
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 10:

Ala Leu Asp Ala Ala Tyr Cys Phe Arg Asn Val Gln Asp Asn Cys Cys
1 5 10 15
Leu Arg Pro Leu Tyr Ile Asp Phe Lys Arg Asp Leu Gly Trp Lys Trp
20 25 30
Ile His Glu Pro Lys Gly Tyr Asn Ala Asn Phe Cys Ser Gly Pro Cys
35 40 45
Pro Tyr Leu Arg Ser Ala Asp Thr Thr His Ser Thr Val Leu Gly Leu
50 55 60
Tyr Asn Thr Leu Asn Pro Glu Ala Ser Ala Ser Pro Cys Cys Val Pro
65 70 75 80
Gln Asp Leu Glu Pro Leu Thr Ile Leu Tyr Tyr Val Gly Arg Thr Pro
85 90 95
Lys Val Glu Gln Leu Ser Asn Met Val Val Lys Ser Cys Lys Cys Ser
100 105 110

(2) INFORMATION FOR SEQ ID NO: 11:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 336 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: double
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: other nucleic acid

(A) DESCRIPTION: /desc = "recombinant hybrid DNA coding for hybrid TGF-beta3-2"

(vii) IMMEDIATE SOURCE:

(B) CLONE: E. coli LC137/pPLMu.TGF-beta3(44/45)beta2

(ix) FEATURE:

- (A) NAME/KEY: mat_peptide
- (B) LOCATION:1..132
- (D) OTHER INFORMATION:/product= "N-terminal 44 amino acids of human TGF-beta3"

(ix) FEATURE:

- (A) NAME/KEY: mat_peptide
- (B) LOCATION:133..336
- (D) OTHER INFORMATION:/product= "C-terminal 68 amino acids of human TGF-beta2"

(ix) FEATURE:

- (A) NAME/KEY: CDS
- (B) LOCATION:1..336
- (D) OTHER INFORMATION:/product= "hybrid TGF-beta3-2"

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 11:

GCT TTG GAC ACC AAT TAC TGC TTC CGC AAC TTG GAG GAG AAC TGC TGT

Ala	Leu	Asp	Thr	Asn	Tyr	Cys	Phe	Arg	Asn	Leu	Glu	Glu	Asn	Cys	Cys		
1				5					10					15			
GTG	CGC	CCC	CTC	TAC	ATT	GAC	TTC	CGA	CAG	GAT	CTG	GGC	TGG	AAG	TGG		96
Val	Arg	Pro	Leu	Tyr	Ile	Asp	Phe	Arg	Gln	Asp	Leu	Gly	Trp	Lys	Trp		
			20					25					30				
GTC	CAT	GAA	CCT	AAG	GGC	TAC	TAT	GCC	AAC	TTC	TGT	GCT	GGA	GCA	TGC		144
Val	His	Glu	Pro	Lys	Gly	Tyr	Tyr	Ala	Asn	Phe	Cys	Ala	Gly	Ala	Cys		
			35					40					45				
CCG	TAT	TTA	TGG	AGT	TCA	GAC	ACT	CAG	CAC	AGC	AGG	GTC	CTG	AGC	TTA		192
Pro	Tyr	Leu	Trp	Ser	Ser	Asp	Thr	Gln	His	Ser	Arg	Val	Leu	Ser	Leu		
		50						55				60					
TAT	AAT	ACC	ATA	AAT	CCA	GAA	GCA	TCT	GCT	TCT	CCT	TGC	TGC	GTG	TCC		240
Tyr	Asn	Thr	Ile	Asn	Pro	Glu	Ala	Ser	Ala	Ser	Pro	Cys	Cys	Val	Ser		
		65				70				75				80			
CAA	GAT	TTA	GAA	CCT	CTA	ACC	ATT	CTC	TAC	TAC	ATT	GGC	AAA	ACA	CCC		288
Gln	Asp	Leu	Glu	Pro	Leu	Thr	Ile	Leu	Tyr	Tyr	Ile	Gly	Lys	Thr	Pro		
				85					90					95			
AAG	ATT	GAA	CAG	CTT	TCT	AAT	ATG	ATT	GTA	AAG	TCT	TGC	AAA	TGC	AGC		336
Lys	Ile	Glu	Gln	Leu	Ser	Asn	Met	Ile	Val	Lys	Ser	Cys	Lys	Cys	Ser		
				100					105					110			

(2) INFORMATION FOR SEQ ID NO: 12:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 112 amino acids
- (B) TYPE: amino acid
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 12:

Ala Leu Asp Thr Asn Tyr Cys Phe Arg Asn Leu Glu Glu Asn Cys Cys

1

5

10

15

Val Arg Pro Leu Tyr Ile Asp Phe Arg Gln Asp Leu Gly Trp Lys Trp

20

25

30

Val His Glu Pro Lys Gly Tyr Tyr Ala Asn Phe Cys Ala Gly Ala Cys

35

40

45

Pro Tyr Leu Trp Ser Ser Asp Thr Gln His Ser Arg Val Leu Ser Leu

50

55

60

Tyr Asn Thr Ile Asn Pro Glu Ala Ser Ala Ser Pro Cys Cys Val Ser

65

70

75

80

Gln Asp Leu Glu Pro Leu Thr Ile Leu Tyr Tyr Ile Gly Lys Thr Pro

85

90

95

Lys Ile Glu Gln Leu Ser Asn Met Ile Val Lys Ser Cys Lys Cys Ser

100

105

110